

# ROM - SmartTrailer

High pressure sewer jetting trailer

**ROM**  
KOKS GROUP





# ROM SmartTrailer

In today's European sewer cleaning market there is ample demand for compact and sharply priced sewer cleaning machines. ROM introduces the world's most compact and most sharply priced sewer cleaning trailer. The new ROM SmartTrailer sewer jetting trailer combines utility with simplicity and reliability. Ideal for sewer cleaners, plumbers and municipalities.

The ROM SmartTrailer is fitted with a number of features as standard, including:

- Fully integrated large water tank (400 litres)
- Durable materials, including flexible polyethylene
- Robust, galvanised frame
- A large toolbox
- A trailer licence is not necessary. The weight remains under 750kg

The ROM SmartTrailer is ideal for unblocking and cleaning of lateral lines and main lines in the sanitary sewer system of up to Ø300mm. The machine is also suitable for facade-, surface- and drainage cleaning. The trailer can even be used for light graffiti removal.



## TYPICAL ROM SMARTTRAILER CHARACTERISTICS

### UTILITY

The ROM SmartTrailer is a multi-purpose machine. You can use it for a wide range of jobs. From sewer cleaning up to cleaning market squares, bridges, traffic signs and benches.

### SIMPLICITY

This trailer is extremely userfriendly. Its simplicity ensures you that personnel can operate the machine immediately.

### RELIABILITY

ROM SmartTrailers are produced by professionals in an ISO certified company. The robust construction with features such as a galvanised frame guarantee a long lifespan.

### COMPACT

With a length of 2,75 metres (incl. towing bar) and a width of only 1,24 metres the design is very compact. Ideal for locations that are difficult to reach, such as city centres and parking areas. When the job is done you can park the trailer almost anywhere you like.

### MOBILITY

The low centre of gravity ensures unprecedented stable and safe road holding with both empty and full water tank. And even with a full 400 litres water tank the weight remains under 750kg, so in most cases a normal driver licence is sufficient! The ROM SmartTrailer guarantees you efficient and effective deployment of your machine.

### SAFETY

ROM quality guarantees that the unit meets all safety requirements.

### SERVICE FRIENDLY

The ROM SmartTrailer is a maintenance friendly machine. Due to the solid combination of a B&S engine and SPECK high pressure pump, the machine requires very little service. When service is needed, the optional bonnet has a large opening angle which is ideal for service of the engine/pump compartment.



# Quality you expect at a price you won't



## The ROM SmartTrailer is available in the following versions:

Article number	02210	02212	02215	02217	02218	02219
Name	ROM SmartTrailer 190/30 without bonnet (manual start system)	ROM SmartTrailer 190/30 with bonnet and electric start	ROM SmartTrailer 150/40 without bonnet (manual start system)	ROM SmartTrailer 150/40 with bonnet and electric start	ROM SmartTrailer 150/50 without bonnet (manual start system)	ROM SmartTrailer 150/50 with bonnet and electric start
Engine	13,2kW / 18hp B&S VANGUARD Petrol engine			16,9kW / 23pk B&S VANGUARD Petrol engine		
Pump	Speck 190 bar - 30l/min		Speck 150 bar - 40l/min		Speck 150 bar - 50l/min	
Tank capacity	400l					
Empty weight standard configuration	Approx. 300kg	Approx. 320kg	Approx. 300kg	Approx. 320kg	Approx. 310kg	Approx. 330kg
Dimensions (l x w x h)	2750 x 1240 x 1050mm					
HP sewer jetting hose	50m 3/8" (ND10)			50m 1/2" (ND13)		



ROM SmartTrailer (standard excl. design bonnet)



ROM SmartTrailer (optional incl. design bonnet; colour RAL 9010 Pure White)



Lockable toolbox with stainless steel hatch



Userfriendly operation



Lockable bonnet with large opening angle - ideal for service/maintenance of the engine/pump compartment



Compact and light weight, suitable for storage in small spaces

# Options



Electric start system



Design bonnet for optimal protection engine/pump combination + Striping SmartTrailer on bonnet PANTONE 446 C - Storm Grey



Electrical radio remote control Smart-Remote



80m. instead of 50m. 1/2" HP sewer jetting hose



Manually operated water filling hose reel with 50m. 3/4" filling hose (ND 20)



Spraygun with lance 70cm. and flatspray nozzle

- Electric start system instead of hand start; incl. maintenance free battery
- Design bonnet (Gelcoat RAL 9010 Pure White) (Only suitable with Electric start system)
- Electrical radio remote control Smart-Remote, 3-channel with pressure on/off, automatic gas control and emergency stop (Only suitable for SmartTrailer with Electric start system)
- Automatic gas control (minimum - maximum gas)
- Rotating beacon on pole (Only suitable with Electric start system)
- Working light on pole (Only suitable with Electric start system)
- Dry run protection, without signalling
- Manually operated water filling hose reel with 50m. 3/4" filling hose (ND 20)
- Fixed hydrant filling connection equipped with STORZ coupling (cam size 52mm.)
- 80m. instead of 50m. 1/2" HP sewer jetting hose
- Spray painted in special company colour (RAL)
- Striping SmartTrailer on bonnet
- Nose wheel with safety stop instead of pole
- Spraygun with lance 70cm. and flatspray nozzle
- Nozzle storage rack mounted on installation
- TÜV vehicle approval test
- EU Type Approval, consist of general document to realize final enduser registration
- Nozzle set 3/8", consists of grenade, rotating nozzle, pointed nozzle
- Nozzle set 1/2", consists of grenade 51, rotating nozzle, pointed nozzle
- Nozzle case JetToolcase (Hose ND13 ND16 with 1/2" connection)

## ROM bv

Harselaarseweg 63  
3771 MA Barneveld, Holland

Tel : +31 (0)342 49 04 17  
Fax : +31 (0)342 49 28 00

E-mail : info@rombv.com  
Internet : www.rombv.com

