

## ROM SmartTrailer

### High pressure sewer jetting trailer



The ROM SmartTrailer sewer jetting trailer is suitable for the unblocking and cleaning of lateral lines and main lines in the sanitary system up to Ø300mm. The machine can also be employed for facade, surface and drain cleaning. The trailer can even be used for light graffiti removal. The perfect solution for sewer cleaners, plumbers and municipalities.

#### Compact power machine

This sewer jetter is proof that compact and power go together really well. With a cleaning pressure of up to max. 150 bar and a water capacity of up to max. 50l/min, the SmartTrailer is a force to be reckoned with.

#### Easy to operate

The SmartTrailer can easily be operated by anyone. The job will be done in no time at all.

#### Safe driving habits

A comfortable driving experience thanks to the trailer's low centre of gravity. This ensures both stable and safe road holding.

#### Standard driving licence sufficient

The machine's weight is so low, that it can be towed by any vehicle. Even with a full water tank, the total weight of the vehicle remains below 750kg. Therefore, a trailer (or other specific) licence is not required. Because a standard driving licence is sufficient, the SmartTrailer can be used very flexibly in terms of required personnel and vehicle fleet.

#### Maintenance friendly

The ROM SmartTrailer is a maintenance friendly machine. Thanks to the combination of a B&S engine and a Speck high pressure pump, the unit requires little maintenance. The optional bonnet has a wide opening angle, which is ideal for servicing the engine/pump compartment.

#### Easy to park

The SmartTrailer can be parked practically anywhere thanks to its compact design. Moreover, the trailer is so light weight that you can easily push it anywhere by yourself, even through the narrowest of streets.

#### Top quality for a low price

Despite its sharp pricing, the machine is full of high quality parts; a Speck high pressure pump, a robust electro galvanised high pressure reel and a hot-dip galvanised frame.


#### Operate from a distance

Go for the optional remote control and work even more efficiently, ergonomic and safely. Makes it possible to operate the machine by yourself and work from a greater distance. Includes emergency stop button.

**Options? See next pages**

For more info, go to [rombv.com](http://rombv.com)

## Technical information



### Suitable for

Unblocking and cleaning of lines up to max Ø300mm  
Facade, surface, and drain cleaning and graffiti removal

### Drive

Air-cooled petrol engine  
Manual starting system or Electric starting system

### High pressure pump

Speck NP25, three cylinder plunger pump  
Cleaning pressure up to max. 150 bar and a water capacity up to max. 50 l/min

### High pressure reel

Manually operated  
Robust, electro galvanised high pressure reel  
Suitable for max. 80m 1/2" (ND13) sewer jetting hose  
ROM maintenance-free bearing & external radial swivel joint

### Conservation

Hot-dip galvanised frame  
Other metal (plate) parts electro galvanised

### Standard features include i.a.

Fully integrated water tank (400 litres)  
High pressure sewer jetting hose 50 metres  
Toolbox (60l.) with stainless steel cover (lockable)  
Several accessories, such as an infinitely adjustable pressure regulator, pressure gauge and water filter with automatic stop valve

## Advantages

- Multi-purpose
- User friendly
- Light weight
- Perfect for lighter commercial vehicles
- Standard driving licence is sufficient
- Compact
- City centres and parking garages are easily accessible
- Can be parked practically anywhere
- Optimum performance in the harshest of circumstances
- Reliable industrial engine/pump combinations
- Maintenance friendly
- Hot-dip galvanised frame
- 400 litre water tank
- Safe (CE marking)

Article number	02217	02219
Version	ROM SmartTrailer 150/40 Petrol with bonnet	ROM SmartTrailer 150/50 Petrol with bonnet
Starting system	Electric	
Engine	13,2kW / 18hp B&S VANGUARD EU Stage V & EPA Tier 4 Petrol engine	16,9kW / 23hp B&S VANGUARD EU Stage V & EPA Tier 4 Petrol engine
Pump	Speck NP25/41	Speck NP25/50
Water tank capacity	400l	
Empty weight (excl. options)	Approx. 320kg	Approx. 330kg
Dimensions (l x w x h)	2750 x 1240 x 1050mm	
HP reel drive	Manual	
HP sewer jetting hose	50m 1/2" (ND13)	
Water filling hose reel	Optional: Manually operated water filling hose reel with 50m 3/4" filling hose (ND20)	





# OPTIONS ROM SMARTTRAILER

047853



## Remote control Smart-Remote

- Electrical radio remote control Smart-Remote
- 3 buttons with pressure on/off, automatic gas control and emergency stop
- Work more efficiently, ergonomic, and safely
- Makes it possible to operate the machine by yourself and work from a greater distance

0425



## Rotating beacon 360° (LED) on pole

- For maximum safety
- Not in combination with option 'working light on pole'
- Only available in combination with option 'Electric starting system'

04243



## Working light (LED) on pole

- For illumination of your work space
- Not possible in combination with option 'Rotating beacon on pole'
- Only available in combination with option 'Electric starting system'

04022



## Manually operated filling hose reel

- Quick refilling of the water tank with the manually operated water filling hose reel with 50m 3/4" hose (ND20)


04103



## Fixed hydrant filling connection

- Fixed hydrant filling connection equipped with STORZ coupling (cam size 52mm.) with filter on the water tank

04840



## Longer sewer jetting hose

- 80m. instead of 50m. 1/2" HP sewer jetting hose

0405



#### Bonnet in specific colour

- The bonnet can be spray painted in your company colour (RAL colour tones)

290800



#### Spray gun

- Spray gun with lance 70cm. and flatspray nozzle
- For surface cleaning and removal of (light) graffiti



#### Nozzle sets

- **00713** Nozzle set 3/8", consists of grenade, rotating nozzle, pointed nozzle
- **00716** Nozzle set 1/2", consists of grenade 51, rotating nozzle, pointed nozzle



#### OTHER OPTIONS

Art.No.	Description
<b>04782</b>	Automatic gas control SmartTrailer (minimum - maximum gas)
<b>042510</b>	Light bar of trailer fitted with LED lighting 12 Volt instead of standard lighting including modifications
<b>04210</b>	Dry run protection for HP pump, without signalling. This protection is necessary in combination with all Speck HP pumps, including the NP25, P30, P41 and P45. This is explicitly stated in the instructions for use by Speck
<b>04154</b>	Nose wheel with safety stop instead of pole for optimal manoeuvring, including mounting
<b>0434</b>	Nozzle storage rack mounted on installation
<b>00168</b>	TÜV vehicle approval test
<b>001695</b>	European Type Approval, consists of a general document to realise final end user registration
<b>397362</b>	Plug adapter from 7 pin (Vehicle) to 13 pin (ROM Trailer)
<b>TRB200</b>	Net discount picking up ROM SmartTrailer in Brno, Czech Republic instead of in Barneveld, The Netherlands. Delivery: FCA Brno CZ (Incoterms 2010)

*Parts for preventive maintenance? Save money by including a maintenance kit with your order. Consult your local partner or ROM.*

**Ask for our package deals**